



"gear train" simulat? oscillation frequency

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 164 for **"gear train" simulat? oscillation frequency**. (0.

All Results

Did you mean: **"gear train" *simulator*? oscillation frequency**

[R Rudd](#)

[J Broughton](#)

[G Parker](#)

[J Gieras](#)

[R Robinett](#)

Atomistic simulation of MEMS resonators through the coupling of length scales - group of 2 »

RE Rudd, JQ Broughton - J. Modeling and Simulation of Microsystems, 1999 - cr.org
... the multiscale decomposition for the micro- **gear train**. ... 3: Illustration of dynamic **simulation** zone and ... fundamental flexural mode of **oscillation**, and released. ...
[Cited by 19](#) - [Related Articles](#) - [Web Search](#)

Experimental verification of a command shaping boom crane controlsystem - group of 3 »

GG Parker, K Groom, JE Hurtado, J Feddema, RD ... - American Control Conference, 1999. Proceedings of the 1999, 1999 - [ieeexplore.ieee.org](#)
... to be the slew axis **gear train**, and is ... only addresses the source of payload **oscillation**. attributed to ... under investigation both in **simulation** and experimental ...
[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

On Modeling, Identification, and Control of a Heavy-Duty Electrohydraulic Harvester Manipulator - group of 3 »

E Papadopoulos, B Mu, R Frenette - IEEE/ASME TRANSACTIONS ON MECHATRONICS, 2003 - [ieeexplore.ieee.org](#)
... servo-control applications in a **simulation** or a ... where is the line-**oscillation frequency** observed (about 3 Hz ... into the damping of the **gear train** connected to its ...
[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Coupling of length scales and atomistic simulation of MEMS devices - group of 2 »

RE Rudd, JQ Broughton - Proc. MSM - [coewww.rutgers.edu](#)
... there are clear departures from a sinusoidal **oscillation**. ... what speed can we run a **gear train** before entanglement ... SAMs and also the envisaged **simulation** of SAM ...
[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

A kiln drive vibration problem and solution

SE Ehinger, H Inc, TX Clarksville - Cement Industry Technical Conference, 1993. Record of ..., 1993 - [ieeexplore.ieee.org](#)
... the damage that had taken place in the **gear train**. ... a detailed analytical study and **simulation** of the ... verify the actual source of the low **frequency oscillation**. ...
[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Modeling and identification of an electrohydraulic articulated forestry machine - group of 4 »

E Papadopoulos, B Mu, R Frenette - Robotics and Automation, 1997. Proceedings., 1997 IEEE ..., 1997 - [ieeexplore.ieee.org](#)
... and use in a graphical training **simulator** [2]. Mathematical ... Therefore, iff is the **frequency of oscillation**, and 1 ... the damp- ing of the **gear train** connected to ...
[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Motor characteristics in the control of a compliant load - group of 4 »

EG Harokopos, RW Mayne - Journal of Guidance, Control, and Dynamics, 1986 - [pdf.aiaa.org](#)

<http://scholar.google.com/scholar?q=%22gear+train%22+simulat%3F++oscillation+frequency&hl...> 12/9/2006



"gear train" simulat? oscillation frequency

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles [Recent articles](#) Results 11 - 20 of about 164 for "gear train" simulat? oscillation frequency. (1

All Results

[R Rudd](#)

[J Broughton](#)

[G Parker](#)

[J Gieras](#)

[R Robinett](#)

The additional mass of bodies oscillating in shallow water

PG Avramenko - International Applied Mechanics, 1967 - Springer

... is not developed enough to permit **simulation** of wave ... 6, flywheel 7, reducing **gear train** 8, electric ... The actual **oscillation frequency** range employed was 1.2-18 ...

[Related Articles](#) - [Web Search](#)

Ultra-maneuverable steering control algorithms for terrain transitions - group of 6 »

MW Torrie, R Koch, V Bahl, D Cripps - Proceedings of SPIE- The International society for optical ..., 1999 - autonomoussolutions.com

... **gear train** ... The discrete **simulation** of the PQFT remained stable in the large, but exhibited a small angular ... Reducing the system gain eliminated the **oscillation**. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Reducing the effect of load torque disturbances in dual inertia systems with lost motion

P Schmidt, T Rehm - American Control Conference, 2004. Proceedings of the 2004 - [ieeexplore.ieee.org](#)

... Instead, the **simulation** insured Page 3 1.2 that ... a printing press operation where high **frequency** disturbances are ... The graph shows a slight **oscillation** caused by ...

[Related Articles](#) - [Web Search](#)

On the Modeling and Control of an Experimental Harvester Machine Manipulator - group of 3 »

E Papadopoulos, R Frenette, B Mu, Y Gonthier - IEEE/RSJ Int. Conf. on Intell. Robots and Sys, 1997 - [users.ntua.gr](#)

... a requirement for control and graphical **simulator** design [3 ... f is the line fundamental **frequency** of **oscillation**, l is its ... is D m , N is the **gear train** gear ratio ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[book] Structural Flexibility of the Shuttle Remote Manipulator System Mechanical Arm - group of 3 »

PK Nguyen - 1982 - [pdf.aiaa.org](#)

... present- ing part of the math modelling, analysis and **simulation** results mentioned ... and a roller bearing, and carries the G-2 out- put **gear train**. ... **Frequency** (Hz ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Senior Control Systems Laboratory at Purdue University

DE Lyon, PH Mecki, ODI Nwokah - [ieeexplore.ieee.org](#)

... Thus, the **simulation** performs much like a "real" system ... settling time or the **frequency** of **oscillation** of a ... The presence of the **gear train** and some bearing ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Command shaping boom crane control system with nonlinear inputs

GG Parker, K Groom, J Hurtado, RD Robinett, F ... - Control Applications, 1999. Proceedings of the 1999 IEEE ..., 1999 - [ieeexplore.ieee.org](#)

... pendulation using an operator iu- the-loop **simulation**. ... kinematics and the primary payload **oscillation** Characteristics are ... be the slew axis **gear train**, and is ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

ninn 3rd ProDulsion Joint - group of 2 »

W Seattle - pdf.aiaa.org

Page 1. NO. 67-504 u THE LUNAR ORBITER VELOCITY CONTROL SYSTEM by HH NYE and D. W..MOORMAN The Boeing Company Seattle, Washington AIM Paper NO. 67-504 ninn ...

Web Search

Liquid propellant missile longitudinal oscillation

RH Fashbaugh - 1966 - deepblue.lib.umich.edu

... mass of the pump rotor, **gear train**, and turbine ... Proper **simulation** of the missile system is important ... the orifice outlet pressure **oscillation** amplitude versus ...

Cached - Web Search

Dynamic simulation of wheel-rail interaction for locomotivetraction studies

S Senini, F Flinders, W Oghanna - Railroad Conference, 1993., Proceedings of the 1993 IEEE/ ..., 1993 - ieeexplore.ieee.org

... the motors, Simulations were performed on the dynamic systems **simulator**, "SIMULINK" and ... by the motor is transferred through the **gear train** and eventually ...

Cited by 3 - Related Articles - Web Search



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

"gear train" simulat? oscillation freq

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



"gear train" simulat? oscillation frequency

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **81 - 90** of about **164** for **"gear train" simulat? oscillation frequency.** (1)

All Results

[R Rudd](#)

[J Broughton](#)

[G Parker](#)

[J Gieras](#)

[R Robinett](#)

SLIDING MODE CONTROL OF A FLEXIBLE MANIPULATOR WITH COULOMB FRICTION - group of 2 »

AL Crassidis - AIAA Guidance, Navigation and Control Conference, Baltimore, ..., 1995 - pdf.aiaa.org

... Persistent **oscillations** of the beam tip occur at the **frequency** of the ... The Coulomb friction **simulation** captures this behavior rather well as shown in ...

[Web Search](#)

Survey of nonlinear vibration of gear transmission systems - group of 2 »

J Wang, R Li, X Peng - Applied Mechanics Reviews, 2003 - link.aip.org

... RC and Crossley FRE (1977), Digital **simulation** of impact ... and Mook DT (1979), Nonlinear **Oscillations**, John Wiley ... stability of a two-stage **gear train** under the ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Development and Implementation of Compliant Controller On Manus Robot Arm

AR Konuk - student.utwente.nl

... **Simulation**45 7.7 ... output side of a **gear train** is ...

[Related Articles](#) - [Web Search](#)

A three-state clutch servomechanism for an underwater control surface. - group of 2 »

CR Tegnalia - 1968 - dspace.mit.edu

... a spring-mass filter and a **gear train**, both of ... above all, steady-state **oscillations** are eliminated ... results of the analysis and **simulation** studies certainly ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

On-hardware optimization of stepper-motor system dynamics - group of 2 »

JR Rogers, K Craig - Mechatronics, 2005 - Elsevier

... optimizing these sequences based on **simulation** of the ... Slamming and **oscillation** are almost always undesirable ... removing backlash from a **gear train** will result in ...

[Related Articles](#) - [Web Search](#)

Telerobotic response requirements

TL Brooks, STX Robotics, MD Lanham - Systems, Man and Cybernetics, 1990. Conference Proceedings., ..., 1990 - ieeexplore.ieee.org

... loop may be closed to alleviate nonlinear effects of the **gear train** and actuator ...

Another advantage is that the higher-**frequency** force components can be sensed ...

[Cited by 66](#) - [Related Articles](#) - [Web Search](#)

Controlling mechanical systems with backlash—a survey - group of 3 »

M Nordin, PO Gutman - Automatica, 2002 - Elsevier

... regulator dynamics, so that arbitrary open-loop cross-over **frequency** is not ... Note that the measured motor speed amplitude of the **oscillations** may be very ...

[Cited by 25](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Development of 3D-input device using adaptive control - group of 2 »

H Yokoi, J Yamashita, Y Fukui, M Shimojo - Neural Networks, 1995. Proceedings., IEEE International ..., 1995 - ieeexplore.ieee.org

... manipulator is accelerated through a **gear train** by a ... output based on the **oscillation** input, obtaining ... assumptions presented above, computer **simulation** shows a ...
[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

Control of low velocity friction and gear backlash in a machine tool feed drive system
- [group of 4](#) »

K Menon, K Krishnamurthy - *Mechatronics*, 1999 - Elsevier
... in position and limit cycle **oscillations** around the ... But the **simulation** results presented showed that the ... lead screw transmission system through a **gear train**. ...
[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Application of the wavelet transform in machine condition monitoring and fault diagnostics: a review ... - [group of 6](#) »

ZK Peng, FL Chu - *Mechanical Systems and Signal Processing*, 2004 - Elsevier
... systems [18, 19 and 20], planetary **gear train** [21 and ... 2. A **simulation** signal (a) and its wavelet ... wavelet packet algorithm into free-**oscillation** testing method ...
[Cited by 20](#) - [Related Articles](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google

EAST SEARCH

12/9/2006

L#	Hits	Search String	Databases
S1	93911	gear near2 (system or train)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S2	398	(gear near2 (system or train)) with (oscillation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S3	600	(gear near2 (system or train)) with (vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S4	39	(gear near2 (system or train)) with (torsional near2 vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S5	984	S2 or S3 or S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S6	62	S5 and (gear with characteristic\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S7	22	S5 and (gear with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S8	5	S5 and (simulat\$3 with (oscillation or vibration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S9	67	S5 and ((oscillation or vibration) with (range or tolerance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S10	85	S5 and ((oscillation or vibration) with (model or function or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S11	7	S5 and ((sol\$3 or solution) with (model or function or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S12	213	S5 and ((oscillation or vibration) with (frequency or amplitude))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S13	54	S5 and ((driving near2 gear) with (frequency or amplitude))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S14	230	S6 or S7 or S8 or S9 or S10 or S11 or S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S15	97	S12 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S16	230	S14 or S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S25	85	S20 and ((oscillation or vibration) with (model or function or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S23	5	S20 and (simulat\$3 with (oscillation or vibration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S19	39	(gear near2 (system or train)) with (torsional near2 vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S27	213	S20 and ((oscillation or vibration) with (frequency or amplitude))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S17	398	(gear near2 (system or train)) with (oscillation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S30	97	S27 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S31	230	S29 or S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S26	7	S20 and ((sol\$3 or solution) with (model or function or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S29	230	S21 or S22 or S23 or S24 or S25 or S26 or S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S20	984	S17 or S18 or S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S18	600	(gear near2 (system or train)) with (vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S24	67	S20 and ((oscillation or vibration) with (range or tolerance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S21	62	S20 and (gear with characteristic\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S22	22	S20 and (gear with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S28	54	S20 and ((driving near2 gear) with (driven near2 gear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S32	157	(gear near2 (system or train)) with (simulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S33	680	(gear near2 (system or train)) same (simulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S34	680	S32 or S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S35	11	S34 and (gear near2 (system or train)) with (characteristic\$1 or parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S36	37	S34 and (gear with (characteristic\$1 or parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S37	251	S34 and ((driving or driven or final) near2 gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S38	237	S34 and (simulat\$3 with gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S39	31	S34 and (simulat\$3 with (oscillation or vibration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S55	141	S35 or S36 or S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 c	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S41	10	S34 and ((acceptable or specified) with (range or tolerance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

S40	5	S34 and ((oscillation or vibration) with (range or tolerance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S42	16	S34 and (equation with (motion or oscillation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S43	15	S34 and (equation with (solvs3 or solution))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S44	32	S34 and (gear with (oscillation or vibration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S45	19	S34 and ((frequency or amplitude) with (oscillation or vibration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S47	4	S34 and ((frequency or amplitude) with (acceptable or specified))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S46	18	S34 and ((frequency or amplitude) with (range or tolerance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S49	11	S34 and ((frequency or amplitude) with (range or tolerance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S48	38	S34 and (gear near2 (system or train) with (characteristic\$1 or parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S50	4	S34 and (output\$4 with (characteristic\$1 or parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S51	4	S34 and ((oscillation or vibration) with ((driven or final) near2 gear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S52	0	S34 and ((algebraic-differential" near2 equation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S53	15	S34 and (response near2 characteristic\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S54	21	S34 and ((frequency or amplitude) with response)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S56	377	S37 or S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S57	88	S55 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S58	141	S55 or S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S59	407	(gear near2 (system or train)) with (oscillation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S60	614	(gear near2 (system or train)) with (vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S61	40	(gear near2 (system or train)) with (torsional near2 vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S62	1007	S59 or S60 or S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S63	63	S62 and (gear with characteristic\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S64	24	S62 and (gear with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S65	5	S62 and (simulat\$3 with (oscillation or vibration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S66	74	S62 and ((oscillation or vibration) with (range or tolerance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S67	87	S62 and ((oscillation or vibration) with (model or function or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S68	7	S62 and ((solvs3 or solution) with (model or function or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S69	221	S62 and ((oscillation or vibration) with (frequency or amplitude))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S70	56	S62 and ((driving near2 gear) with (frequency or amplitude))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S71	239	S63 or S64 or S65 or S66 or S67 or S68 or S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S72	101	S69 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S73	239	S71 or S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S74	10	S73 and (gear with simulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

10/684262

Kiwamura Morita et al.

EAST SEARCH

12/9/2006

Results of search set S91:

Document Kind	Codes	Title
US	20060122027 A1	Automatic transmission and gear train
US	20060122020 A1	Automatic transmission and gear train
US	20060081432 A1	Torsional vibration damper of a rotating shaft
US	20050284225 A1	System and method for monitoring the condition of a drive train
US	20050247503 A1	Vibration suppression apparatus and method for hybrid vehicle
US	20050247132 A1	STRUCTURALLY TUNED VIBRATION BASED COMPONENT CHECKING SYSTEM AND M

Issue Date	Current OR	Abstract
20060608	475/338	
20060608	475/100	
20060420	188/380	
20051229	73/593	
20051110	180/300	
20051110	73/660	

US 20050220491 A1	Device for driving an endless belt and image forming apparatus using the same	20051006 399/167
US 20050205371 A1	Torsional vibration damper of a rotating shaft	20050922 188/291
US 20050195689 A1	Electric watch with radio communication function	20050908 368/47
US 20050187563 A1	Hair removal device with disc and vibration assemblies	20050825 606/133
US 20050178226 A1	Gear transmitting device and electronic apparatus	20050818 74/414
US 20050172703 A1	Transverse axes oscillating water sprinkler with cam driven, oscillating nozzles	20050616 239/200
US 20050126318 A1	Variable rate impact and oscillation absorber in starter motors	20050616 74/7E
US 20050115346 A1	Method of changing gears of automobile, automotive gear shifter, controller for automotive ge	20050602 74/335
US 20050072965 A1	Electronic winch monitoring system	20050407 254/361
US 20050056575 A1	Media thickness detector	20050317 209/586
US 20050041996 A1	Rotary developing device	20050224 399/227
US 20050034540 A1	Isolation arrangement for system under test	20050217 73/862.322
US 20050014597 A1	Superfinishing large planetary gear systems	20050120 475/344
US 20040233794 A1	Timepiece driving apparatus and time calculating apparatus	20041125 368/157
US 20040200283 A1	Synchronous averaging of epicyclic sun gear vibration	20041014 73/593
US 20040176902 A1	Vibration monitoring system for gas turbine engines	20040909 701/100
US 20040133404 A1	Gear-driving-system designing system	20040708 703/1
US 20040112654 A1	HYBRID AUTOMOTIVE POWERTRAIN WITH TORSIONAL VIBRATION DAMPER	20040617 180/65.2
US 20040085268 A1	Livestock cooling system	20040408 119/448
US 20030230205 A1	Compensation of cylinder vibration in printing material processing machines	20031218 101/216
US 20030224893 A1	Wobbling inner gearing planetary gear system and method of assembling external gears	20031204 475/163
US 20030183467 A1	Placement of an auxiliary mass damper to eliminate torsional resonances in driving range in	20031002 188/380
US 20030163242 A1	Misfire detection system for vehicle multicylinder internal combustion engine	20030828 701/111
US 20030147671 A1	Rotary developing device	20030807 399/227
US 20030133814 A1	Hybrid bearing arrangement for centrifugal compressor	20030717 417/423.12
US 20030113133 A1	Driving apparatus and image formation apparatus using the driving apparatus	20030619 399/167
US 20030106444 A1	Method of driving a machine related to printing technology	20030612 101/211
US 20020190683 A1	Vibration control apparatus for vehicle having electric motor	20021219 318/632
US 20020112546 A1	High-speed rotation testing apparatus	20020822 73/781
US 20020111241 A1	Motor actuator	20020815 475/149
US 20020085086 A1	Device for driving an endless belt and image forming apparatus using the same	20020704 347/262
US 20020073795 A1	Low noise planetary gear design	20020620 74/460
US 20020070203 A1	Method for adjusting the oscillation frequency of a sprung balance for a mechanical timepiece	20020613 219/121.69
US 20020049118 A1	Method and apparatus for controlling a vehicle with a gear-shift transmission	20020425 477/107
US 20020014172 A1	Inking apparatus control means for rotary press	20020207 101/350.3
US 20020005127 A1	Printing press	20020117 101/141
US 20010014809 A1	Hair removal device with disc, vibration, and light assemblies	20010816 606/133
US 7063306 B2	Electronic winch monitoring system	20060620 254/361
US 7013210 B2	Vibration monitoring system for gas turbine engines	20060314 701/100
US 6968145 B2	Rotary developing device	20051122 399/227
US 6914619 B2	Device for driving an endless belt and image forming apparatus using the same	20050705 347/154
US 6907325 B1	Method of operating a hybrid electric vehicle to limit noise, vibration, and harshness	20050614 701/22
US 6898975 B2	Synchronous averaging of epicyclic sun gear vibration	20050531 73/593
US 6883251 B2	Livestock cooling system	20050426 34/527
US 6832147 B2	Method and apparatus for controlling a vehicle with a gear-shift transmission	20041214 701/54
US 6829457 B2	Driving apparatus and image formation apparatus using the driving apparatus	20041207 399/167
US 6824546 B1	Hair removal device with disc and vibration assemblies	20041130 606/133
US 6813459 B2	Rotary developing device	20041102 399/227

US 6799453 B2	Misfire detection system for vehicle multicylinder internal combustion engine	20041005 73/117.3
US 6768938 B2	Vibration monitoring system for gas turbine engines	20040727 701/100
US 6756758 B2	Vibration control apparatus for vehicle having electric motor	20040629 318/434
US 6725780 B2	Method of driving a machine related to printing technology	20040427 101/484
US 6712727 B2	Motor actuator	20040330 475/149
US 6698352 B2	Inking apparatus control means for rotary press	20040302 101/349.1
US 6634292 B2	Printing press with means for connecting and disconnecting motors for oscillating roller	20031021 101/141
US 6632077 B2	Hybrid bearing arrangement for centrifugal compressor	20031014 417/423.6
US 6626139 B1	Gear mechanism of power transmitting system	20030930 123/192.2
US 6615670 B2	High-speed rotation testing apparatus	20030909 73/781
US 6534742 B2	Method for adjusting the oscillation frequency of a sprung balance for a mechanical timepiece	20030318 219/121.69
US 6490940 B1	Motor vehicle starter with reduction gear comprising means forming torsional damper	20021210 74/7E
US 6436106 B2	Hair removal device with disc, vibration, and light assemblies	20020820 606/133
US 6298725 B1	Method for the separation of epicyclic planet gear vibration signatures	20011009 73/593
US 6282502 B1	Method of designing uniform motion, substantially vibration-free spur gears	20010828 703/1
US 6272288 B1	Vibration correction system for a camera	20010807 396/55
US 6217473 B1	Toroidal continuously variable transmission	20010417 475/216
US 6202960 B1	Aircraft landing gear absorber	20010320 244/103R
US 6144181 A	Method and apparatus for reducing resonance in a dual inertia system	20001107 318/629
US 6131454 A	Transportable vehicle tester	20001017 73/457
US 6117016 A	Transmission coupling assembly	20000912 464/87
US 6112872 A	Electromagnetic clutch	20000905 192/55.3
US 6093126 A	Transmission device	20000725 475/228
US 6016405 A	Camera system for reducing the influence of vibration generated by actuators	20000118 396/55
US 5944610 A	Two-mass flywheel for a motor vehicle, which two-mass flywheel has an opening to receive it	19990831 464/24
US 5931052 A	Crankshaft gear torsional vibration isolator assembly for an engine	19990803 74/574.4
US 5929588 A	Electric motor control system for automobile wiper assembly	19990727 318/653
US 5895857 A	Machine fault detection using vibration signal peak detector	19990420 73/660
US 5875752 A	Engine drive train having a front gear train with improved torsional dynamics	19990302 123/192.1
US 5831370 A	Vibration actuator	19981103 310/323.01
US 5823880 A	Dual flywheel assembly with lockup mechanism between two flywheels	19981020 464/68.2
US 5816924 A	Flywheel assembly	19981006 464/68.2
US 5800134 A	Tandem, swash plate pump having drive force take-out mechanism	19980901 417/269
US 5766109 A	Torsional vibration damper with a planetary gearset	19980616 475/347
US 5748391 A	Camera with vibration compensation device having anti-vibration lens urging mechanism and	19980505 359/813
US 5745802 A	Camera with vibration compensation device having anti-vibration lens urging mechanism and	19980428 396/55
US 5735768 A	Torsional vibration damper with variable transmission	19980407 475/347
US 5733218 A	Flywheel having two centrifugal masses and a torsional vibration damper with gear train elem	19980331 475/347
US 5729782 A	Camera film feed drive system reducing vibration and noise	19980317 396/418
US 5708266 A	Rotary motion detector	19980113 250/231.14
US 5684640 A	Camera with vibration compensation device having anti-vibration lens urging mechanism and	19971104 359/694
US 5655985 A	Gear system, particularly multisatellite gear system	19970812 475/179
US 5641904 A	Method and apparatus for detecting drive line system imbalance	19970624 73/457
US 5615178 A	Electronic control timepiece	19970325 368/203
US 5596141 A	Tire resonance frequency detecting system having inter-wheel noise elimination and method	19970121 73/146.2
US 5594175 A	Apparatus and method for non-invasive diagnosis and control of motor operated valve conditi	19970114 73/593
US 5493163 A	Lens driving device employing vibration motor with backlash compensation	19960220 310/316.02
US 5451127 A	Dual-function electrical hand drill	19950919 408/20

US 5406419 A	Airmotor powered remote adjustable mirror	19950411 359/878
US 5365301 A	Driving force transmission mechanism	19941115 396/144
US 5303681 A	Torsional tunable coupling for a diesel engine drive shaft	19940419 123/192.1
US 5230285 A	Printing press coating apparatus having an oscillating roller assembly	19930727 101/363
US 5156070 A	Vehicular engine and power train mounting arrangement	19921020 74/606R
US 5148991 A	Gear driven transmission for oscillating sprinklers	19920922 239/242
US 5016593 A	Method and apparatus for preventing surging of vehicle having internal combustion engine	19910521 123/436
US 4970861 A	Geared rotary-to-linear motion converting system for bidirectional pump drive	19901120 60/431
US 4942777 A	Device for cyclically varying the phase relationship between two rotating shafts	19900724 74/397
US 4931949 A	Method and apparatus for detecting gear defects	19900605 702/35
US 4928652 A	Engine control system for suppressing car body vibration	19900529 477/111
US 4928556 A	Articulation drive apparatus of industrial robot	19900529 475/149
US 4924832 A	System and method for controlling ignition timing for internal combustion engine	19900515 477/102
US 4905807 A	Rotary vibration damper	19900306 192/61
US 4872337 A	Nondestructive testing of gears	19891010 73/162
US 4846018 A	Articulation drive apparatus of industrial robot	19890711 475/149
US 4663981 A	Antivibration system for a mechanical transmissions	19870512 74/440
US 4650047 A	Direct-coupling control system for fluid gear in automatic vehicular transmission	19870317 192/3.31
US 4605386 A	Compact variable speed pulley assembly	19860812 474/8
US 4597453 A	Drive unit with self-aligning gearing system	19860701 173/171
US 4589296 A	Power transmission mechanism	19860520 74/411
US 4559494 A	Maximum demand meter	19851217 324/103R
US 4498335 A	Control arrangement for a gear testing machine	19850212 73/162
US 4461580 A	Watch, the back cover of which constitutes a plate	19840724 368/77
US RE31073 E	Electromechanical clock	19821102 368/134
US 4286693 A	Mechanical snubber	19810901 188/378
US 4257370 A	Combined gear cover and mount for an internal combustion engine	19810324 123/198E
US 4026572 A	Means for isolating a vibration or shock	19770531 280/276
US 3995513 A	Drive line vibration absorber	19761207 74/574.4
US 3990226 A	Electromechanical clock	19761109 368/134
US 3952610 A	Gear system	19760427 74/421R
US 3937873 A	Engraving machines	19760210 358/3.29
US 3812670 A	CONVERTER DRIVE CIRCUIT IN AN ELECTRONIC TIMEPIECE	19740528 368/159
US 3805640 A	ELECTRONICALLY CONTROLLED POWER TRANSMISSION	19740423 477/56
US 3802179 A	ELECTRONIC TIMEPIECE	19740409 368/80
US 3775900 A	TOY DOLL	19731204 446/354
US 3771777 A	CONVERTER VESSEL DRIVE USING HYDRAULIC MOTORS	19731113 266/246
US 3763432 A	INDICATOR DRIVE AND POSITIVE-ZERO RESET MECHANISM FOR A DEMAND METER	19731002 324/103R
US 3739519 A	PRESSURE OPERATED RETRACTABLE LANDING GEAR	19730619 446/55
US 3722136 A	HOUSEKEEPING DOLL HAVING REVERSIBLE MOTOR DRIVING SELECTIVELY MOVABLE	19730327 446/354
US 3713700 A	UNIVERSAL CONTINUOUS BORING MACHINE	19730130 299/31
US 3696894 A	ACCELERATION SENSITIVE SHOCK ABSORBER VALVE	19721010 188/275
US 3677188 A	STABILIZING MONORAIL VEHICLE	19720718 104/120
US 3673743 A	MACHINE ASSEMBLY	19720704 451/342
US 3654033 A	STRAP TENSIONING AND SEALING TOOL	19720404 156/494
US 3617849 A	MOTOR CONTROL DAMPING CIRCUIT	19711102 318/616
US 3603140 A	GRAPHIC VIBRATION RESOLVER	19710907 73/659
JP 2006084576 A	TITLE DATA NOT AVAILABLE	20060330

JP 2004133809 A	GEAR DRIVE SYSTEM DESIGNING SYSTEM	20040430
JP 2004100758 A	DRIVE TRANSMISSION APPARATUS	20040402
JP 2002035441 A	FLUTTERING DRIVE MODULE	20020205
JP 10078090 A	GEAR TRAIN CONTROL MECHANISM FOR IMAGE DEFECT REDUCTION IN ELECTRONI	19980324
JP 09133953 A	POWER TRANSMITTING DEVICE	19970520
JP 08310419 A	REDUCTION GEAR FOR MOTOR-DRIVEN POWER STEERING DEVICE	19961126
JP 05071586 A	VIBRATION SUPPRESSING DEVICE FOR INTERNAL COMBUSTION ENGINE	19930323
JP 04164162 A	GEAR PRIME MOVER	19920609
JP 02208534 A	GEAR TESTER	19900820
JP 02097710 A	INTERNAL COMBUSTION ENGINE	19900410
JP 01155958 A	SUPERHIGH-PRESSURE WATER JET GUN	19890619
JP 61010144 A	POWER TAKE-OUT DEVICE FOR MARINE ENGINE	19860117
US 20060111018 A	Front page inconsistent with claim, abstract based on front page and disclosure. Patent Office	20060525
US 20060052032 A	Model vehicle e.g. electric train, for consumer toy, has gear train with floating mechanism isol	20060309
DE 1005019790 A	Automatic gearbox clutch controlling method for use in vehicle, involves modifying clutch ped.	20051201
US 20040152560 A	Oscillation damping method in vehicle transmission system; involves reducing pressure of se	20040805
RU 2231768 C	Gearing vibration diagnosing method	20040627
JP 2004133809 A	Gear drive design system for e.g. printer, changes gear characteristic value, when it is determ	20040430
DE 19525842 A	Torsional vibration damper for car clutches - has several epicyclic gear train elements within i	19970116
JP 08074947 A	Epicyclic gearing system with vibration transmission noise reduction function - has antivibratic	19960319
DE 3800297 A	Damping system for noisy oscillations of free gear wheels - uses coils wound on formers to in	19890720
EP 313010 A	Lock for car safety belt - has bolt preventing release of belt, when vehicle is subjected to high	19890426
EP 312710 A	Torsional vibration decoupler for transmission - has tangential tensile springs in middle gear r	19890426
DE 3423210 C	Torsional vibration damper for vehicle clutch - has planetary gear train to increase angular ra	19870326
SU 1120131 A	Toothed transmission - with driving gear engagement pitch larger than disengagement pitch	19841023
US 3613480 A	POWER TRANSMISSION HAVING DOWNSHIFT INHIBITOR	19711019 74/731.1
US 3592116 A	TIMEPIECE HAVING VIBRATION ISOLATION MEANS	19710105 368/76
US 3496391 A	RESONANT DEVICE	19700217 310/25
US 3463948 A	DEVICE FOR STABILISING THE OSCILLATION FREQUENCY OF A MECHANICAL OSCILL	19690826 310/25
US 3446084 A	SONIC VIBRATION GENERATOR	19690527 74/87
US 3377874 A	Motion converter	19680416 74/143
US 3360704 A	Spring-type electromechanical oscillator	19671226 318/128
US 3292446 A	Power transmitting gearing with full floating gear elements	19661220 74/333
US 3291228 A	Sonic techniques and apparatus for earth boring	19661213 175/55
US 3283741 A	Coating apparatus	19661108 118/262
US 3282120 A	Windshield wiper mechanism	19661101 74/75
US 3256695 A	Sonic method and apparatus for forming trenches and for laying pipe lines therein	19660621 405/182
US 3204330 A	Nonlinear gearing and apparatus utilizing nonlinear gearing for indexing	19650907 29/771
US 3088446 A	Combined engine accessory drive and housing therefor	19630507 123/54.4
US 3061212 A	Automatic apparatus for winding field coils	19621030 242/432.3
US 3059414 A	OCR SCANNED DOCUMENT	19621023 368/259
US 2981117 A	Indexing mechanism for electrical timepieces	19610425 74/126
US 2981054 A	Time-piece	19610425 368/80
US 2973660 A	Cooperating wedges including mating worms	19610307 74/424.5
US 2959975 A	Electrical backlash prevention for gear train of servo actuated device	19601115 74/409
US 2949728 A	Clock	19600823 368/134
US 2948059 A	Sonic system for unscrewing threaded pipe joints	19600809 29/426.5
US 2943826 A	Landing gear shock absorber system	19600705 244/104R

US 2925863 A	Pulp molding machine	19600223 162/391
US 2913905 A	Magnetically coupled oscillatory and rotary motions	19591124 74/1.5
US 2843202 A	Apparatus for synchronized intermittent performance on stock of variable feed rate	19580715 83/299
US 2825052 A	Mechanically resonant sector scanner	19580225 343/765
US 2791282 A	Valve control for dual-rotation propeller	19570507 416/127
US 2769437 A	Starter gear mechanism	19561106 123/179.1
US 2730363 A	Sheet delivery mechanism for printing machines	19560110 271/203
US 2726817 A	Winding machine	19551213 242/434.3
US 2718395 A	Operating mechanism for windows	19550920 74/625
US 2706515 A	Web splicing machine	19550419 156/504
US 2687848 A	Taximeter	19540831 235/30R
US 2629451 A	Controllable pitch propeller	19530224 416/155
US 2597369 A	Alternating current synchronous induction disk motor with means for eliminating backlash and	19520520 192/142R
US 2580428 A	Cycloidal rotor for aircraft	19520101 416/111
US 2559451 A	Landing gear with drag strut dynamic damper	19510703 244/102R
US 2482477 A	Electrical torque measuring device	19490920 73/862.332
US 2431494 A	Variable-speed transmission	19471125 474/30
US 2421044 A	Power transmission mechanism	19470527 180/14.4
US RE22710 E	OCR SCANNED DOCUMENT	19460122 222/14
US 2360521 A	Transmission mechanism	19441017 105/131
US 2324163 A	Driving mechanism	19430713 185/38
US 2302529 A	Dfpeating valve shutoff system	19421117 222/14
US 2248165 A	Sustained power electric clock	19410708 368/52
US 2210557 A	Target toy	19400806 273/369
US 2189534 A	Friction clutch	19400206 192/207
US 2171988 A	Synchronous electric motor structure	19390905 310/164
US 2170502 A	Machine tool transmission	19390822 476/53
US 2123916 A	Aircraft	19380719 244/20
US 2109191 A	Suspension and driving system for motor vehicles	19380222 180/24.11
US 2001866 A	Accessory device housing for internal combustion engines	19350521 123/195A
US 1976050 A	Automatic code signaling device	19341009 340/328
US 1964109 A	Mechanism for actuating windshield wipers	19340626 15/250.23